

## SECTION® THREE Herbicide

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 05/12/2016 Supersedes: 03/18/2015

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name. SECTION® THREE HERBICIDE  
Other means of identification EPA Registration Number : 66330-414-1381

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Herbicide

##### 1.3. Details of the supplier of the safety data sheet

Winfield Solutions, LLC  
P.O. Box 64589  
St. Paul, MN 55164

##### 1.4. Emergency telephone number

Emergency number : ChemTrec: 1-800-424-9300  
Medical Emergency: 1-877-424-7452 (24 hrs)

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### GHS-US classification

Flam. Liq. 4 H227  
Eye Irrit. 2B H320  
Carc. 2 H351  
STOT RE 2 H373  
Asp. Tox. 1 H304

##### 2.2. Label elements

###### GHS-US labelling

Hazard pictograms (GHS-US) :



GHS08

Signal word (GHS-US) :

Danger.

Hazard statements (GHS-US) :

H227 - Combustible liquid  
H304 - May be fatal if swallowed and enters airways  
H320 - Causes eye irritation  
H351 - Suspected of causing cancer  
H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS-US) :

P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
P260 - Do not breathe mist/vapours/spray  
P264 - Wash hands thoroughly after handling  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P308+P313 - IF exposed or concerned: Get medical advice/attention  
P314 - Get medical advice and attention if you feel unwell  
P331 - If swallowed, do NOT induce vomiting  
P337+P313 - If eye irritation persists: Get medical advice/attention  
P370+P378 - In case of fire: Use carbon dioxide, dry powder, foam, or water fog for extinction  
P403+P235 - Store in a cool and well-ventilated place  
P405 - Store locked up  
P501 - Dispose of contents/container in accordance with local and national regulations

##### 2.3. Other hazards

No additional information available

# SECTION THREE® HERBICIDE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

No data available

Not applicable

Exact concentrations withheld as trade secret.

Full text of H-phrases: see section 16

Name	Product identifier	%	GHS-US classification
Heavy Aromatic Naptha Solvent	(CAS No) 64742-94-5	50 – 60	Flam. Liq. 4, H227 Asp. Tox. 1, H304
Clethodim	(CAS No) 99129-21-2	30 – 40	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 STOT RE 2, H373
1,2,4-trimethylbenzene	(CAS No) 95-63-6	1 – 7	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Chronic 2, H411
Anionic/nonionic surfactant blend	(CAS No) trade secret	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
naphthalene	(CAS No) 91-20-3	0.1 – 2	Acute Tox. 4 (Oral), H302 Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice
First-aid measures after inhalation	: If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Artificial respiration and/or oxygen if necessary. Call a POISON CENTER/doctor/physician if you feel unwell.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Do NOT induce vomiting unless directed to do so by medical personnel. Immediately call a POISON CENTER or doctor/physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: Causes damage to organs. Suspected of causing cancer.
Symptoms/injuries after inhalation	: Inhalation may cause: irritation, coughing, shortness of breath.
Symptoms/injuries after skin contact	: May cause moderate irritation.
Symptoms/injuries after eye contact	: Causes eye irritation.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.

All treatments should be based on observed signs and symptoms of distress in the patient.

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

Fire hazard	: Combustible liquid.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
Reactivity	: Liquid evaporates and forms vapors/fumes that can catch fire and burn with explosive violence.

# SECTION THREE® HERBICIDE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Firefighting instructions : Exercise caution when fighting any chemical fire. Do not allow run-off from fire fighting to enter drains or water courses. Use water spray or fog for cooling exposed containers.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear fire/flame resistant/retardant clothing. Wear a self contained breathing apparatus.

- General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Avoid all eyes and skin contact and do not breathe vapour and mist.

### 6.1.1. For non-emergency personnel

- Protective equipment : Wear suitable gloves. rubber. Chemical goggles or safety glasses.
- Emergency procedures : Evacuate unnecessary personnel.

### 6.1.2. For emergency responders

- Protective equipment : Wear suitable gloves. rubber. Chemical goggles or safety glasses.
- Emergency procedures : Stop leak if safe to do so. Ventilate area.

Prevent entry to sewers and public waters. Do not discharge into drains or the environment.

- For containment : Absorb and/or contain spill with inert material, then place in suitable container. Contain any spills
- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

### 6.4. Reference to other sections

Section 13: disposal information. Section 7: safe handling. Section 8: personal protective equipment.

- Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Keep away from
- Precautions for safe handling : No naked lights. No smoking. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist/vapours/spray.
- Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

- Technical measures : Proper grounding procedures to avoid static electricity should be followed.
- Storage conditions : Keep in fireproof place. Keep only in the original container in a cool well ventilated place. Keep container closed when not in use.
- Incompatible products : strong oxidizers. Strong acids. Strong bases.
- Incompatible materials : Heat sources.

### 7.3. Specific end use(s)

Herbicide.

### 8.1. Control parameters

Heavy Aromatic Naptha Solvent (64742-94-5)		
USA ACGIH	ACGIH STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
naphthalene (91-20-3)		
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	52 mg/m <sup>3</sup>
USA ACGIH	ACGIH TWA (ppm)	10 ppm
USA ACGIH	ACGIH STEL (mg/m <sup>3</sup> )	79 mg/m <sup>3</sup>
USA ACGIH	ACGIH STEL (ppm)	15 ppm
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	50 mg/m <sup>3</sup>

# SECTION THREE® HERBICIDE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

naphthalene (91-20-3)		
USA OSHA	OSHA PEL (TWA) (ppm)	10 ppm
1,2,4-trimethylbenzene (95-63-6)		
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	123 mg/m <sup>3</sup>
USA ACGIH	ACGIH TWA (ppm)	25 ppm
None established.		
None established.		

Appropriate engineering controls	: Avoid creating mist or spray. Avoid splashing. Either local exhaust or general room ventilation is usually required.
Hand protection	: Wear suitable gloves resistant to chemical penetration. Nitrile rubber gloves.
Eye protection	: In case of splashing or aerosol production: protective goggles.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Use an approved respirator equipped with oil/mist cartridges.

Colour	: Amber
Odour	: Aromatic
Odour threshold	: No data available
pH	: 3.96 @ 25 °C
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 61 °C Closed Cup
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.98 g/ml @ 20°C
Density	: 0.98 g/ml @ 20°C
Solubility	: insoluble in water. Soluble in hydrocarbon solvents.
Log Pow	: No data available
Log Kow	: No data available
Viscosity	: 20 cP @ 25°C
Viscosity, kinematic	: 20.408 cSt (calculated)
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Oxidising properties	: No oxidizing properties.
Explosive limits	: No data available

VOC content : 0 %

Liquid evaporates and forms vapors/fumes that can catch fire and burn with explosive violence.

# SECTION THREE® HERBICIDE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Combustible liquid. May form flammable/explosive vapour-air mixture.

Hazardous polymerization will not occur.

Open flame. Overheating. Direct sunlight. Heat. Sparks.

Strong acids. Strong oxidizers. Strong bases.

May release flammable gases.

Acute toxicity : Not classified

### SECTION® THREE HERBICIDE

LD50 oral rat	> 3129 mg/kg
LD50 dermal rabbit	> 5050 mg/kg No mortality occurred during the study
LC50 inhalation rat (mg/l)	> 2.23 mg/l/4h No mortality occurred during the study

### Clethodim (99129-21-2)

LD50 oral rat	1360 (1360 - 1630) mg/kg (from SDS for Arysta Technical (≥93%) Clethodim)
LD50 dermal rat	> 5000 mg/kg
LD50 dermal rabbit	> 5 g/kg (from SDS for Arysta Technical (≥93%) Clethodim)
LC50 inhalation rat (mg/l)	3.9 mg/l/4h (from SDS for Arysta Technical (≥93%) Clethodim)
ATE (oral)	1360.000 mg/kg bodyweight
ATE (vapours)	3.900 mg/l/4h
ATE (dust,mist)	3.900 mg/l/4h

### Heavy Aromatic Naptha Solvent (64742-94-5)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5.28 mg/l/4h

### naphthalene (91-20-3)

LD50 oral rat	490 mg/kg
LD50 dermal rabbit	20 g/kg
LC50 inhalation rat (mg/l)	> 340 mg/m <sup>3</sup> 1 hour
ATE (oral)	490.000 mg/kg bodyweight
ATE (dermal)	20000.000 mg/kg bodyweight

### 1,2,4-trimethylbenzene (95-63-6)

LD50 oral rat	3415 mg/kg
LD50 dermal rat	3440 mg/kg
LC50 inhalation rat (ppm)	954 ppm
ATE (oral)	3415.000 mg/kg bodyweight
ATE (dermal)	3440.000 mg/kg bodyweight
ATE (dust,mist)	1.500 mg/l/4h

Skin corrosion/irritation : Not classified.

pH: 4 (1% emulsion)

A primary dermal irritation study was conducted on three albino rabbits. Slight was noticed upon initial observation, all effects were reversed by 72 hours. Maximum irritation score of 0.75. May be slightly irritating, but not sufficient for classification.

# SECTION THREE® HERBICIDE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious eye damage/irritation	: Causes eye irritation. pH: 4 (1% emulsion) An acute eye irritation study was conducted on three albino rabbits. Cornea Opacity was seen in up to two animals at intervals of 1, 24, 48, and 72 hours. Iritis was seen in one animal at all time intervals. Conjunctivae Redness and chemosis were seen initially in all animals. All effects seen were completely reversed by Day 4.
Respiratory or skin sensitisation	: Not classified Produced no skin irritation and did not elicit a skin sensitizing reaction in guinea pigs.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: May be fatal if swallowed and enters airways.
Symptoms/injuries after inhalation	: Inhalation may cause: irritation, coughing, shortness of breath.
Symptoms/injuries after skin contact	: May cause moderate irritation.
Symptoms/injuries after eye contact	: Causes eye irritation.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.

### 12.1. Toxicity

<b>Clethodim (99129-21-2)</b>	
LC50 fishes 1	> 33 mg/l <i>Lepomis macrochirus</i> (Bluegill) - 96 hr 83.3% purity
EC50 Daphnia 1	20.2 mg/l
ErC50 (algae)	11.4 mg/l Green Algae

<b>naphthalene (91-20-3)</b>	
LC50 fishes 1	> 0.91 (0.91 - 2.82) mg/l <i>Oncorhynchus mykiss</i> (From Koppers SDS)
EC50 Daphnia 1	>= 1.96 mg/l From Koppers SDS
EC50 other aquatic organisms 1	33 mg/l From Sigma-Aldrich SDS
LC50 fish 2	> 1 (1 - 6.5) mg/l <i>Pimpephales promelas</i> (From Sigma-Aldrich SDS)
LOEC (acute)	3.2 mg/l From Sigma-Aldrich SDS
NOEC (acute)	1.8 mg/l From Sigma-Aldrich SDS

<b>1,2,4-trimethylbenzene (95-63-6)</b>	
LC50 fishes 1	7.72 mg/l
LC50 other aquatic organisms 1	3.6 mg/l
EC50 other aquatic organisms 1	2.356 mg/l

### 12.2. Persistence and degradability

<b>Heavy Aromatic Naptha Solvent (64742-94-5)</b>	
Persistence and degradability	Not rapidly degradable.
Biodegradation	39 %

### 12.3. Bioaccumulative potential

<b>naphthalene (91-20-3)</b>	
BCF fish 1	>= 427 (427 - 1158)

### 12.4. Mobility in soil

<b>Heavy Aromatic Naptha Solvent (64742-94-5)</b>	
Mobility in soil	Migrates to soil.

No additional information available

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

# SECTION THREE® HERBICIDE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Additional information : Handle empty containers with care because residual vapours are flammable.  
Ecology - waste materials : Hazardous waste due to toxicity.

### In accordance with 49CFR US DOT (Land)

Non-bulk (≤ 119 gallons) : Not regulated  
Bulk (>119 but <624 gallons) : NA1993 Combustible liquid, n.o.s. (Heavy aromatic naphtha solvent), 3, III  
RQ Bulk (≥624 gallons) : NA1993 Combustible liquid, n.o.s. (Heavy aromatic naphtha solvent), 3, III, RQ(Naphthalene)  
ERG : 128

Other information : No supplementary information available.

### ADR

Not regulated

### Transport by sea

Not regulated

### Air transport

Not regulated

### Clethodim (99129-21-2)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory.  
Exempt under FIFRA Section 3 (2)(B)(ii) when used as a pesticide.

### naphthalene (91-20-3)

SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard Immediate (acute) health hazard
-------------------------------------	--

### 1,2,4-trimethylbenzene (95-63-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## CANADA

### SECTION® THREE HERBICIDE

WHMIS Classification	Class B Division 3 - Combustible Liquid Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR
----------------------	--

### Clethodim (99129-21-2)

Not listed on the Canadian DSL (Domestic Substances List) inventory.

Listed on the Canadian DSL (Domestic Substances List) inventory.

## EU-Regulations

### Clethodim (99129-21-2)

Not listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) substances.

### 1,2,4-trimethylbenzene (95-63-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) substances.

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Carc. 2 H351  
STOT RE 2 H373  
Asp. Tox. 1 H304  
Aquatic Chronic 3 H412

Full text of H-phrases: see section 16

# SECTION THREE® HERBICIDE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Classification according to Directive 67/548/EEC or 1999/45/EC

Xn; R20  
Xn; R65  
R52/53

### 15.2.2. National regulations

No additional information available

Not listed on any state Right-to-Know Hazardous Chemicals lists.

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

Signal word (FIFRA)	: Caution.
Hazard statements (FIFRA)	: Harmful if swallowed. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid contact with eyes or clothing. Wear protective eyewear, long-sleeved shirt and long pants, socks, shoes and chemical resistant gloves (such as Barrier Laminate, Butyl Rubber, Nitrile Rubber, Viton, Selection Category F, G).
Environmental hazards	: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not apply where weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwater or rinsate. The use of this product may pose a hazard to the federally designated endangered species of Solano Grass and Wild Rice. Use of this product is prohibited in the following areas where the species are known to exist: <b>Solano Grass:</b> Solano County, California: the vernal lakes area bounded by the Union Pacific Railroad and Hastings Road to the north, Highway 113 to the east, Highway 12 to the south, and Travis Air Force Base to the west. <b>Wild Rice:</b> Hays County, Texas..
Physical or Chemical hazards	: <b>Combustible:</b> Do not store near heat or open flame.
Indication of changes	: Original Document.
Data sources	: ACGIH 2000. European Chemicals Agency (ECHA) Registered Substances list. Accessed at <a href="http://echa.europa.eu/">http://echa.europa.eu/</a> . Kristen Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. National Fire Protection Association; Fire Protection Guide to Hazardous Materials; 10th edition. OSHA 29CFR 1910.1200 Hazard Communication Standard. TSCA Chemical Substance Inventory. Accessed at <a href="http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html">http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html</a> .
Abbreviations and acronyms	: ACGIH (American Conference of Government Industrial Hygienists). ATE: Acute Toxicity Estimate. CAS (Chemical Abstracts Service) number. CLP: Classification, Labelling, Packaging. EC50: Environmental Concentration associated with a response by 50% of the test population. GHS: Globally Harmonized System (of Classification and Labeling of Chemicals). LD50: Lethal Dose for 50% of the test population. OSHA: Occupational Safety & Health Administration. STEL: Short Term Exposure Limits. TSCA: Toxic Substances Control Act. TWA: Time Weight Average.

Full text of H-phrases: see section 16:

Acute Tox. 4 (Inhalation)

Acute toxicity (inhalation) Category 4



# SECTION THREE® HERBICIDE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Asp. Tox. 1	Aspiration hazard Category 1
Carc. 2	Carcinogenicity Category 2
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Flam. Liq. 3	Flammable liquids Category 3
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	skin corrosion/irritation Category 2
Skin Irrit. Not classified	Skin corrosion/irritation Not classified
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H319	Causes serious eye irritation
H320	Causes eye irritation
H332	Harmful if inhaled
H351	Suspected of causing cancer
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

NFPA health hazard

NFPA fire hazard

NFPA reactivity

- : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.
- : 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
- : 0 - Normally stable, even under fire exposure conditions, and not reactive with water.

