

SAFETY DATA SHEET



AUTHORITY SUPREME HERBICIDE

Version 1.0	Revision Date: 06/20/2022	SDS Number: 50000799	Date of last issue: - Date of first issue: 09/10/2018
----------------	------------------------------	-------------------------	--

SECTION 1. IDENTIFICATION

Product identifier

Product name AUTHORITY SUPREME HERBICIDE

Other means of identification

Product code 50000799

Product Registration Number 32562

Recommended use of the chemical and restrictions on use

Recommended use Can be used as herbicide only.

Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet**Manufacturer**

FMC of Canada Ltd
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada
Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722),
Web: <https://ag.fmc.com/ca/en>
SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Inhalation) : Category 4
Carcinogenicity : Category 2
Reproductive toxicity : Category 1B

SAFETY DATA SHEET



AUTHORITY SUPREME HERBICIDE

Version 1.0 Revision Date: 06/20/2022 SDS Number: 50000799 Date of last issue: -
Date of first issue: 09/10/2018

GHS label elements

Hazard pictograms



Signal Word : Danger

Hazard Statements : H332 Harmful if inhaled.
H351 Suspected of causing cancer.
H360 May damage fertility or the unborn child.

Precautionary Statements : **Prevention:**
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Sulfentrazone	Sulfentrazone	122836-35-5	$\geq 10 - < 30$ *
Pyroxasulfone	Pyroxasulfone	447399-55-5	$\geq 10 - < 30$ *
propane-1,2-diol	propane-1,2-diol	57-55-6	$\geq 5 - < 10$ *
sodium diisopropylnaphthalenesulphonate	sodium diisopropylnaphthalenesulphonate	1322-93-6	$\geq 1 - < 5$ *
toluene	toluene	108-88-3	$\geq 1 - < 5$ *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

SAFETY DATA SHEET



AUTHORITY SUPREME HERBICIDE

Version 1.0 Revision Date: 06/20/2022 SDS Number: 50000799 Date of last issue: -
Date of first issue: 09/10/2018

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with soap and plenty of water.
Get medical attention if irritation develops and persists.
Wash contaminated clothing before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Induce vomiting immediately and call a physician.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Harmful if inhaled.
Suspected of causing cancer.
May damage fertility or the unborn child.
- Notes to physician : Treat symptomatically.
-

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Chlorinated compounds
Fluorinated compounds
Sulfur oxides
Nitrogen oxides (NO_x)
Carbon oxides
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment : Wear self-contained breathing apparatus for firefighting if nec-

SAFETY DATA SHEET



AUTHORITY SUPREME HERBICIDE

Version 1.0 Revision Date: 06/20/2022 SDS Number: 50000799 Date of last issue: -
Date of first issue: 09/10/2018

for fire-fighters essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
------------	---------	---------------------	----------------------------------	-------

SAFETY DATA SHEET



AUTHORITY SUPREME HERBICIDE

Version 1.0 Revision Date: 06/20/2022 SDS Number: 50000799 Date of last issue: -
 Date of first issue: 09/10/2018

		exposure)	concentration	
propane-1,2-diol	57-55-6	TWA (Va- pour and aerosols)	50 ppm 155 mg/m3	CA ON OEL
		TWA (aero- sol)	10 mg/m3	CA ON OEL
toluene	108-88-3	TWA	50 ppm 188 mg/m3	CA AB OEL
		TWA	20 ppm	CA BC OEL
		TWAEV	20 ppm	CA QC OEL
		TWA	20 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
toluene	108-88-3	Toluene	In blood	Prior to last shift of work- week	0.02 mg/l	ACGIH BEI
		Toluene	Urine	End of shift (As soon as possible after exposure ceases)	0.03 mg/l	ACGIH BEI
		o-Cresol	Urine	End of shift (As soon as possible after exposure ceases)	0.3 mg/g Creatinine	ACGIH BEI

Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Wear suitable protective equipment.

SAFETY DATA SHEET



AUTHORITY SUPREME HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/20/2022	50000799	Date of first issue: 09/10/2018

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : 5.22 (22.7 °C)

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : > 100 °C

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 10.1 lb/gal (19.6 °C)
1.21 g/cm³ (19.6 °C)

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

Viscosity

 Viscosity, dynamic : No data available

 Viscosity, kinematic : 5320 mm²/s (21.4 °C)

SAFETY DATA SHEET



AUTHORITY SUPREME HERBICIDE

Version 1.0 Revision Date: 06/20/2022 SDS Number: 50000799 Date of last issue: -
Date of first issue: 09/10/2018

Explosive properties : No data available
Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.
Chemical stability : No decomposition if stored and applied as directed.
Possibility of hazardous reactions : No decomposition if stored and applied as directed.
Conditions to avoid : No data available
Incompatible materials : No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if inhaled.

Product:

Acute oral toxicity : LD50 Oral (Rat): 3,129 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 2.07 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 Dermal (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : slight irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : Mild eye irritant

SAFETY DATA SHEET



AUTHORITY SUPREME HERBICIDE

Version 1.0 Revision Date: 06/20/2022 SDS Number: 50000799 Date of last issue: -
Date of first issue: 09/10/2018

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Assessment : Not a skin sensitizer.
Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:

Sulfentrazone:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: Mouse lymphoma assay
Test system: mouse lymphoma cells
Metabolic activation: Metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Pyroxasulfone:

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

propane-1,2-diol:

SAFETY DATA SHEET



AUTHORITY SUPREME HERBICIDE

Version 1.0 Revision Date: 06/20/2022 SDS Number: 50000799 Date of last issue: -
Date of first issue: 09/10/2018

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

sodium diisopropylnaphthalenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

toluene:

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro
Species: Rat
Result: negative

Carcinogenicity

Suspected of causing cancer.

Product:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Reproductive toxicity

May damage fertility or the unborn child.

Product:

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

STOT-single exposure

Not classified based on available information.

Components:

Sulfentrazone:

Remarks : No significant adverse effects were reported

SAFETY DATA SHEET



AUTHORITY SUPREME HERBICIDE

Version 1.0 Revision Date: 06/20/2022 SDS Number: 50000799 Date of last issue: -
Date of first issue: 09/10/2018

toluene:

Assessment : May cause drowsiness or dizziness.

STOT-repeated exposure

Causes damage to organs (Nervous system, Kidney, Liver, Heart, Bladder) through prolonged or repeated exposure.

May cause damage to organs (hematopoietic system) through prolonged or repeated exposure.

May cause damage to organs (inner ear) through prolonged or repeated exposure if inhaled.

Components:

Sulfentrazone:

Target Organs : hematopoietic system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Pyroxasulfone:

Target Organs : Nervous system, Kidney, Liver, Heart, Bladder
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

toluene:

Routes of exposure : Inhalation
Target Organs : inner ear
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

Sulfentrazone:

Species : Rat, male and female
NOEL : 65.8 - 78.1 mg/kg
Application Route : Oral - feed
Exposure time : 90-days
Target Organs : hematopoietic system

Species : Mouse, male and female
NOEL : 60 - 79.8 mg/kg
Application Route : Oral - feed
Exposure time : 90-days
Target Organs : hematopoietic system

propane-1,2-diol:

Species : Rat, male and female
NOAEL : 1,700 mg/kg
Application Route : Oral
Exposure time : 2 Years

SAFETY DATA SHEET



AUTHORITY SUPREME HERBICIDE

Version 1.0 Revision Date: 06/20/2022 SDS Number: 50000799 Date of last issue: -
Date of first issue: 09/10/2018

Species : Rat, male and female
NOAEL : 1,000 mg/kg
LOAEL : 160 mg/kg
Application Route : Inhalation
Exposure time : 90 Days

sodium diisopropyl naphthalenesulphonate:

Remarks : No data available

toluene:

Species : Rat
NOAEL : 625 mg/kg
Application Route : Oral
Symptoms : central nervous system effects

Species : Rat
NOAEL : 0.098 mg/l
Application Route : Inhalation
Test atmosphere : vapor

Species : Rat
LOAEL : 2.261 mg/l
Application Route : Inhalation
Test atmosphere : vapor

Aspiration toxicity

Not classified based on available information.

Components:

Sulfentrazone:

The substance does not have properties associated with aspiration hazard potential.

toluene:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Pyroxasulfone:

SAFETY DATA SHEET



AUTHORITY SUPREME HERBICIDE

Version 1.0 Revision Date: 06/20/2022 SDS Number: 50000799 Date of last issue: -
Date of first issue: 09/10/2018

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 202 mg/l
Exposure time: 96 h

LL50 (Lepomis macrochirus (Bluegill sunfish)): > 208 mg/l
Exposure time: 96 h

LL50 (Cyprinodon variegatus (sheepshead minnow)): > 3.3 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 4.4 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (green algae): 0.000743 mg/l
Exposure time: 72 h

EC50 (Lemna gibba (duckweed)): 0.005 mg/l
Exposure time: 7 d

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 2 mg/l
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.9 mg/l
Exposure time: 21 d

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 997 mg/kg
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): > 100 µg/bee
Exposure time: 48 d
Remarks: Contact

LOEC (Anas platyrhynchos (Mallard duck)): 60 mg/kg
End point: Reproduction Test

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : (Mysidopsis bahia (opossum shrimp)): 18,800 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 13,020 mg/l
Exposure time: 7 d

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

AUTHORITY SUPREME HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/20/2022	50000799	Date of first issue: 09/10/2018

sodium diisopropyl naphthalenesulphonate:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 72 mg/l
 Exposure time: 48 h
 Test Type: static test
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (algae)): > 100 mg/l
 Exposure time: 72 h
 Test Type: static test
 Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (algae)): 10 mg/l
 Exposure time: 72 h
 Test Type: static test
 Method: OECD Test Guideline 201

toluene:

Toxicity to fish : LC50 (Fish): 5.5 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50: 3.78 mg/l
 Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Skeletonema costatum (marine diatom)): 10 mg/l
 Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus kisutch (coho salmon)): 1.4 mg/l

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia sp.): 0.74 mg/l
 Exposure time: 7 d

Toxicity to microorganisms : EC50 (Bacteria): 134 mg/l
 Exposure time: 3 h

Persistence and degradability**Components:****Sulfentrazone:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 2.22 - 9.56 h

Pyroxasulfone:

Biodegradability : Result: Not readily biodegradable.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 23.6 %

SAFETY DATA SHEET



AUTHORITY SUPREME HERBICIDE

Version 1.0 Revision Date: 06/20/2022 SDS Number: 50000799 Date of last issue: -
Date of first issue: 09/10/2018

Exposure time: 64 d
Method: OECD Test Guideline 306

sodium diisopropylnaphthalenesulphonate:

Biodegradability : Inoculum: activated sludge, non-adapted
Result: Not readily biodegradable.
Biodegradation: 2 %
Exposure time: 21 d
Method: OECD Test Guideline 301D

toluene:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

Sulfentrazone:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.
See section 9 for octanol-water partition coefficient.

Partition coefficient: n-octanol/water : Remarks: No data available

Pyroxasulfone:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2.39 (25 °C)

propane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -1.07

sodium diisopropylnaphthalenesulphonate:

Partition coefficient: n-octanol/water : log Pow: > 2.6 (20 °C)

toluene:

Bioaccumulation : Bioconcentration factor (BCF): 90

Partition coefficient: n-octanol/water : log Pow: 2.73 (20 °C)

Mobility in soil

Components:

Sulfentrazone:

Distribution among environ- : Remarks: Mobile in soils

SAFETY DATA SHEET



AUTHORITY SUPREME HERBICIDE

Version 1.0 Revision Date: 06/20/2022 SDS Number: 50000799 Date of last issue: -
Date of first issue: 09/10/2018

mental compartments

Pyroxasulfone:

Distribution among environmental compartments : Adsorption/Soil
Koc: 57 - 114
Remarks: Highly mobile in soils

Stability in soil :

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Pyroxasulfone, Sulfentrazone)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Pyroxasulfone, Sulfentrazone)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964

SAFETY DATA SHEET



AUTHORITY SUPREME HERBICIDE

Version 1.0 Revision Date: 06/20/2022 SDS Number: 50000799 Date of last issue: -
Date of first issue: 09/10/2018

Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Pyroxasulfone, Sulfentrazone)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Pyroxasulfone, Sulfentrazone)
Class : 9
Packing group : III
Labels : 9
ERG Code : 171
Marine pollutant : yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Canadian PBT Chemicals : This product contains the following components on the DSL that are classified as Persistent, Bioaccumulative and/or Toxic (PBT) under CEPA:
octamethylcyclotetrasiloxane

NPRI Components : toluene

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

Sulfentrazone

SAFETY DATA SHEET



AUTHORITY SUPREME HERBICIDE

Version 1.0 Revision Date: 06/20/2022 SDS Number: 50000799 Date of last issue: -
Date of first issue: 09/10/2018

Pyroxasulfone

- ENCS : Not in compliance with the inventory
- ISHL : Not in compliance with the inventory
- KECI : Not in compliance with the inventory
- PICCS : Not in compliance with the inventory
- IECSC : Not in compliance with the inventory
- NZIoC : Not in compliance with the inventory
- TECI : Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

- ACGIH : USA. ACGIH Threshold Limit Values (TLV)
- ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
- CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
- CA BC OEL : Canada. British Columbia OEL
- CA ON OEL : Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
- CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
- ACGIH / TWA : 8-hour, time-weighted average
- CA AB OEL / TWA : 8-hour Occupational exposure limit
- CA BC OEL / TWA : 8-hour time weighted average
- CA ON OEL / TWA : Time-Weighted Average Limit (TWA)
- CA QC OEL / TWA EV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International

SAFETY DATA SHEET



AUTHORITY SUPREME HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/20/2022	50000799	Date of first issue: 09/10/2018

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet