



# SAFETY DATA SHEET



## CYGNON 480

Version 1.0      Revision Date: 03/01/2023      SDS Number: 50001276      Date of last issue: -  
Date of first issue: 03/01/2023

---

Skin irritation : Category 2

Serious eye damage : Category 1

Aspiration hazard : Category 1

### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H226 Flammable liquid and vapor.  
H302 + H332 Harmful if swallowed or if inhaled.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P240 Ground and bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
P242 Use non-sparking tools.  
P243 Take action to prevent static discharges.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

# SAFETY DATA SHEET



## CYGON 480

Version 1.0      Revision Date: 03/01/2023      SDS Number: 50001276      Date of last issue: -  
Date of first issue: 03/01/2023

P331 Do NOT induce vomiting.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
dimethoate (ISO)	dimethoate (ISO)	60-51-5	$\geq 30 - < 60$
cyclohexanone	cyclohexanone	108-94-1	$\geq 30 - < 60$
Solvent naphtha (petroleum), heavy arom.	Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	$\geq 10 - < 30$
4-Nonylphenol branched, ethoxylated	4-Nonylphenol branched, ethoxylated	127087-87-0	$\geq 1 - < 5$

## SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

# SAFETY DATA SHEET



## CYGON 480

Version 1.0      Revision Date: 03/01/2023      SDS Number: 50001276      Date of last issue: -  
Date of first issue: 03/01/2023

---

- sue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed or if inhaled.  
May be fatal if swallowed and enters airways.  
Causes skin irritation.  
Causes serious eye damage.  
Suspected of causing cancer.
- Notes to physician : Treat symptomatically.
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Thermal decomposition can lead to release of irritating gases and vapors.  
phosphorus oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon oxides  
Sulfur oxides
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
-

# SAFETY DATA SHEET



## CYGON 480

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/01/2023	50001276	Date of first issue: 03/01/2023

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
- 

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.  
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).  
Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Take precautionary measures against static discharges.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Open drum carefully as content may be under pressure.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : No smoking.  
Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.
-

## CYGON 480

Version 1.0      Revision Date: 03/01/2023      SDS Number: 50001276      Date of last issue: -  
Date of first issue: 03/01/2023

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
cyclohexanone	108-94-1	TWA	20 ppm 80 mg/m <sup>3</sup>	CA AB OEL
		STEL	50 ppm 200 mg/m <sup>3</sup>	CA AB OEL
		TWA	20 ppm	CA BC OEL
		STEL	50 ppm	CA BC OEL
		TWAEV	25 ppm 100 mg/m <sup>3</sup>	CA QC OEL
		TWA STEL	20 ppm 50 ppm	ACGIH ACGIH
Solvent naphtha (petroleum), heavy arom.	64742-94-5	TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	CA AB OEL
		TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH

## Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
dimethoate (ISO)	60-51-5	Acetylcholinesterase activity	In red blood cells	End of shift	70 % of an individual's baseline	ACGIH BEI
		Butyrylcholinesterase activity	In serum or plasma	End of shift	60 % of an individual's baseline	ACGIH BEI
cyclohexanone	108-94-1	1,2-Cyclohexanediol	Urine	End of shift at end of work-week	80 mg/l	ACGIH BEI
		Cyclohexanol	Urine	End of shift (As soon as possible after exposure ceases)	8 mg/l	ACGIH BEI

## Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Remarks : The suitability for a specific workplace should be discussed

# SAFETY DATA SHEET



## CYGON 480

Version 1.0      Revision Date: 03/01/2023      SDS Number: 50001276      Date of last issue: -  
Date of first issue: 03/01/2023

---

- with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : suspension
- Color : light yellow
- Odor : characteristic
- Odor Threshold : No data available
- pH : No data available
- Melting point/freezing point : < 5 °C
- Boiling point/boiling range : 80 °C  
Decomposition: Decomposes below the boiling point.
- Flash point : 42 °C  
Method: Pensky-Martens closed cup - PMCC
- Evaporation rate : No data available
- Self-ignition : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapor pressure : No data available
- Relative vapor density : No data available

# SAFETY DATA SHEET



## CYGNON 480

Version 1.0      Revision Date: 03/01/2023      SDS Number: 50001276      Date of last issue: -  
Date of first issue: 03/01/2023

---

Relative density : No data available

Density : No data available

Bulk density : No data available

Solubility(ies)

    Water solubility : emulsifiable

    Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

    Viscosity, dynamic : 5 - 10 mPa.s ( 25 °C)

    Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.  
Vapors may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Not applicable

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Harmful if swallowed or if inhaled.

#### **Product:**

Acute oral toxicity : LD50 Oral (Rat): 450 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50: 2.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

---



# SAFETY DATA SHEET



## CYGON 480

Version 1.0      Revision Date: 03/01/2023      SDS Number: 50001276      Date of last issue: -  
Date of first issue: 03/01/2023

---

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 Dermal (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

### **Skin corrosion/irritation**

Causes skin irritation.

#### **Product:**

Remarks : No data is available on the product itself.

Remarks : Extremely corrosive and destructive to tissue.

### **Serious eye damage/eye irritation**

Causes serious eye damage.

#### **Product:**

Remarks : No data is available on the product itself.

Remarks : May cause irreversible eye damage.

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

#### **Product:**

Remarks : No data is available on the product itself.

### **Germ cell mutagenicity**

Not classified based on available information.

#### **Components:**

##### **dimethoate (ISO):**

Genotoxicity in vivo : Method: OECD Test Guideline 478  
Result: negative

##### **cyclohexanone:**

Genotoxicity in vitro : Test Type: in vitro DNA damage and/or repair study  
Test system: human diploid fibroblasts  
Method: OECD Test Guideline 482  
Result: negative

# SAFETY DATA SHEET



## CYGNON 480

Version 1.0      Revision Date: 03/01/2023      SDS Number: 50001276      Date of last issue: -  
Date of first issue: 03/01/2023

---

Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : Test Type: chromosome aberration assay  
Species: Rat (male and female)  
Application Route: inhalation (vapor)  
Method: OECD Test Guideline 475  
Result: negative

Test Type: dominant lethal test  
Species: Rat (male and female)  
Application Route: inhalation (vapor)  
Method: OECD Test Guideline 478  
Result: negative

Species: Drosophila melanogaster (vinegar fly) (male and female)  
Application Route: Inhalation  
Method: OECD Test Guideline 477  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **Solvent naphtha (petroleum), heavy arom.:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration.  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Product:**

Remarks : Not classified

### **Reproductive toxicity**

Not classified based on available information.

### **Components:**

**dimethoate (ISO):**

# SAFETY DATA SHEET



## CYGON 480

Version 1.0      Revision Date: 03/01/2023      SDS Number: 50001276      Date of last issue: -  
Date of first issue: 03/01/2023

---

Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

### **cyclohexanone:**

Effects on fertility : Test Type: Two-generation study  
Species: Rat  
Application Route: inhalation (vapor)  
Dose: 1.02, 2.04, 4.1 mg/l  
General Toxicity Parent: NOAEC: 4.1 mg/l  
General Toxicity F1: NOAEC: 2.04 mg/l  
General Toxicity F2: NOAEC: 2.04 mg/l  
Result: negative

Effects on fetal development : Species: Rabbit  
Application Route: Oral  
Dose: 50, 250, 500 mg/kg b.w.  
General Toxicity Maternal: NOAEL: 250 mg/kg body weight  
Teratogenicity: NOAEL: 500 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects.

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.

### **STOT-single exposure**

Not classified based on available information.

#### **Components:**

### **dimethoate (ISO):**

Remarks : No significant adverse effects were reported

### **STOT-repeated exposure**

Not classified based on available information.

#### **Components:**

### **cyclohexanone:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **Repeated dose toxicity**

#### **Components:**

### **dimethoate (ISO):**

Species : Rat  
LOAEL : 2.5 mg/kg bw/day  
Exposure time : 90 days  
Symptoms : cholinesterase inhibition

# SAFETY DATA SHEET



## CYGON 480

Version 1.0      Revision Date: 03/01/2023      SDS Number: 50001276      Date of last issue: -  
Date of first issue: 03/01/2023

---

### **cyclohexanone:**

Species : Rat, male and female  
NOAEL : 143 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Dose : 40, 143 and 407 mg/kg b.w.  
Method : OECD Test Guideline 408

### **Solvent naphtha (petroleum), heavy arom.:**

Species : Rat, male and female  
NOAEC : 0.9 - 1.8 mg/l  
Application Route : inhalation (vapor)  
Exposure time : 12 months

### **Aspiration toxicity**

May be fatal if swallowed and enters airways.

### **Components:**

#### **dimethoate (ISO):**

The substance does not have properties associated with aspiration hazard potential.

#### **Solvent naphtha (petroleum), heavy arom.:**

May be fatal if swallowed and enters airways.

### **Experience with human exposure**

### **Components:**

#### **Solvent naphtha (petroleum), heavy arom.:**

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

### **Further information**

### **Product:**

Remarks : Solvents may degrease the skin.

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

### **Components:**

#### **dimethoate (ISO):**

Toxicity to fish : LC50 (Salmo gairdneri): 30.2 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET



## CYGON 480

Version 1.0      Revision Date: 03/01/2023      SDS Number: 50001276      Date of last issue: -  
Date of first issue: 03/01/2023

---

- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 2 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : IC50 (*Selenastrum capricornutum* (green algae)): 90.4 mg/l  
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (*Salmo gairdneri*): 0.4 mg/l  
Exposure time: 21 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.04 mg/l  
Exposure time: 21 d
- Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): 31 mg/kg dry weight (d.w.)  
Exposure time: 14 d
- Toxicity to terrestrial organisms : LD50 (*Anas platyrhynchos* (Mallard duck)): 42 mg/kg
- LD50 (*Colinus virginianus* (Bobwhite quail)): 10.5 mg/kg
- LD50 (*Coturnix japonica* (Japanese quail)): 84 mg/kg
- LD50 (*Phasianus colchicus* (ring-necked pheasant)): 14.1 mg/kg
- LD50 (*Apis mellifera* (bees)): 0.12 µg/bee  
Remarks: Contact
- LD50 (*Apis mellifera* (bees)): 0.15 µg/bee  
Remarks: Oral
- cyclohexanone:**
- Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 527 - 732 mg/l  
Exposure time: 96 h  
Test Type: flow-through test
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : EC50 (*Desmodesmus subspicatus* (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials
- NOEC (*Desmodesmus subspicatus* (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET



## CYGON 480

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/01/2023	50001276	Date of first issue: 03/01/2023

---

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 30 min  
Method: OECD Test Guideline 209

### **Solvent naphtha (petroleum), heavy arom.:**

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): 1.4 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3  
plants : mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): 0.89 mg/l  
aquatic invertebrates (Chron- : Exposure time: 21 d  
ic toxicity) : Method: OECD Test Guideline 211

Toxicity to microorganisms : LL50 (Tetrahymena pyriformis): 677.9 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition

### **4-Nonylphenol branched, ethoxylated:**

#### **Ecotoxicology Assessment**

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

#### **Persistence and degradability**

##### **Product:**

Biodegradability : Remarks: Expected to be biodegradable

##### **Components:**

##### **dimethoate (ISO):**

Biodegradability : Result: Not readily biodegradable.

##### **cyclohexanone:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301F

### **Solvent naphtha (petroleum), heavy arom.:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 58.6 %  
Exposure time: 28 d

# SAFETY DATA SHEET



## CYGON 480

Version 1.0      Revision Date: 03/01/2023      SDS Number: 50001276      Date of last issue: -  
Date of first issue: 03/01/2023

---

Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

### **4-Nonylphenol branched, ethoxylated:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: < 60 %  
Exposure time: 28 d

### **Bioaccumulative potential**

#### **Product:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

#### **Components:**

##### **dimethoate (ISO):**

Bioaccumulation : Species: Salmo gairdneri  
Bioconcentration factor (BCF): > 1,000  
Remarks: Does not bioaccumulate.  
See section 9 for octanol-water partition coefficient.

Partition coefficient: n-octanol/water : log Pow: 0.704

##### **cyclohexanone:**

Partition coefficient: n-octanol/water : log Pow: 0.86 (25 °C)

### **Solvent naphtha (petroleum), heavy arom.:**

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.72  
Method: QSAR

### **Mobility in soil**

#### **Product:**

Mobility : Remarks: immobile

#### **Components:**

##### **dimethoate (ISO):**

Distribution among environmental compartments : Remarks: Highly mobile in soils

Stability in soil :

### **Solvent naphtha (petroleum), heavy arom.:**

Distribution among environmental compartments : Remarks: Expected to partition to sediment and wastewater

# SAFETY DATA SHEET



## CYGNON 480

Version 1.0      Revision Date: 03/01/2023      SDS Number: 50001276      Date of last issue: -  
Date of first issue: 03/01/2023

---

mental compartments      solids. Moderately volatile.

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

#### Components:

##### **cyclohexanone:**

Additional ecological information : No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Cyclohexanone, Dimethoate)  
Class : 3  
Packing group : III  
Labels : 3

#### **IATA-DGR**

UN/ID No. : UN 1993  
Proper shipping name : Flammable liquid, n.o.s.  
(Cyclohexanone, Dimethoate)  
Class : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

---



# SAFETY DATA SHEET



## CYGNON 480

Version 1.0      Revision Date: 03/01/2023      SDS Number: 50001276      Date of last issue: -  
Date of first issue: 03/01/2023

---

### IMDG-Code

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Cyclohexanone, Dimethoate)  
Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-E  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Cyclohexanone, Dimethoate)  
Class : 3  
Packing group : III  
Labels : 3  
ERG Code : 128  
Marine pollutant : yes

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

**NPRI Components** : 4-Nonylphenol branched, ethoxylated

### The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AICS : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.  
  
Polyalkylene oxide block copolymer  
  
O,O-DIMETHYL S-METHYLCARBAMOYLMETHYL  
PHOSPHORODITHIOATE

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

# SAFETY DATA SHEET



## CYGON 480

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/01/2023	50001276	Date of first issue: 03/01/2023

PICCS : Not in compliance with the inventory  
IECSC : Not in compliance with the inventory  
NZIoC : Not in compliance with the inventory

### Canadian lists

No substances are subject to a Significant New Activity Notification.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)  
CA BC OEL : Canada. British Columbia OEL  
CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants  
ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
CA AB OEL / TWA : 8-hour Occupational exposure limit  
CA AB OEL / STEL : 15-minute occupational exposure limit  
CA BC OEL / TWA : 8-hour time weighted average  
CA BC OEL / STEL : short-term exposure limit  
CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation,

# SAFETY DATA SHEET



## CYGON 480

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/01/2023	50001276	Date of first issue: 03/01/2023

---

tion, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

### Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

**End of Material Safety Data Sheet**