Exirel[®] Insecticide

Version 1.0

Revision Date 03/01/2018

Ref. 130000133497

This SDS adheres to the standards and regulatory requirements of Canada and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name Tradename/Synonym		Exirel [®] Insecticide B13111659
SDS Number	:	130000133497
Product Use Manufacturer	:	Insecticide FMC Corporation 2929 Walnut Street Philadelphia, PA 19104 (215) 299-6000 (General Information) msdsinfo@fmc.com (E-Mail General Information)
Medical Emergency	:	1 800 / 331-3148 (ProPharma Group - U.S.A. & Canada) 1 651 / 632-6793 (ProPharma Group - All Other Countries - Collect) For leak, fire, spill or accident emergencies, call: 1 800 / 424 9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527 3887 (CHEMTREC - Alternate)

SECTION 2. HAZARDS IDENTIFICATION

Potential Health Effects

Carcinogenicity

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Cyantraniliprole	736994-63-1	10.2 %

1/8



Exirel [®] Insecticide		
ersion 1.0		
evision Date 03/01/2018	Ref. 130000133497	
Other Ingredients	89.8 %	
ECTION 4. FIRST AID MEASUR	ES	
Skin contact	: Take off all contaminated clothing immediately. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	
Eye contact	: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
Inhalation	: Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.	
Ingestion	: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Do not give anything by mouth to an unconscious person.	
General advice	: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. See Section 1 for emergency phone numbers.	
ECTION 5. FIREFIGHTING MEA	SURES	
Flammable Properties Flash point	: No flash up to boiling point.	
Auto-ignition temperature	: 358 °C (676 °F)	
Fire and Explosion Hazard	: The product is not flammable.	
Suitable extinguishing media	: Water spray, Foam, Dry chemical, Carbon dioxide (CO2)	
Unsuitable extinguishing media	: High volume water jet, (contamination risk)	
	2/8	


Г

Material Safety I	Data Sheet
-------------------	------------

Exirel[®] Insecticide

Version 1.0	
Revision Date 03/01/2018	Ref. 130000133497
Firefighting Instructions	 In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. (on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers/tanks with water spray.
SECTION 6. ACCIDENTAL RELEA	ASE MEASURES
	G MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. ROTECTIVE EQUIPMENT during clean-up.
Safeguards (Personnel)	: Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus. Use personal protective equipment.
Spill Cleanup	: Soak up with sawdust, sand, oil dry or other absorbent material. Dispose of in an approved container. If liquid has been spilt in large quantities clean up promptly by scoop or vacuum.
Accidental Release Measures	: Prevent material from entering sewers, waterways, or low areas. Dispose of in accordance with local regulations.
SECTION 7. HANDLING AND STO	DRAGE
Handling (Personnel)	: Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing.
Handling (Physical Aspects)	: The product is not flammable.
Storage	: Store product in original container only in a location inaccessible to children and pets. Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Not for use or storage in or around the home. Keep out of the reach of children.
Storage temperature	: > 0 °C (> 32 °F)
SECTION 8. EXPOSURE CONTRO Personal protective equipment	DLS/PERSONAL PROTECTION
	3/8

Exirel[®] Insecticide



Exirel[®] Insecticide

Version 1.0

-FMC

Devision Data 02/01/2018	Def 120000122407
Revision Date 03/01/2018	Ref. 130000133497
Inhalation 4 h LC50	: > 2.4 mg/l , Rat
Dermal LD50	: > 5,000 mg/kg , Rat
Oral LD50	: > 5,000 mg/kg , multiple species
Skin irritation	: Irritating to skin., Rabbit
Eye irritation	: No eye irritation, Rabbit Minimal effects that do not meet the threshold for classification.
Sensitisation	: May cause sensitisation by skin contact., Guinea pig
Cyantraniliprole Repeated dose toxicity	: The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.
	Oral Rat 28 - 90 d Thyroid effects, Organ weight changes, No effect to neurotoxicity.
	Dermal Rat 28 d No toxicologically significant effects were found.
	Oral Mouse 90 d No toxicologically significant effects were found.
	Oral Dog 90 d altered blood chemistry, Liver effects, Vascular arteritis
	Oral multiple species 28 d Immune System, No toxicologically significant effects were found.
	Oral Rat 14 d
	5/8

Material Safety I	Data Sheet
-------------------	------------

Material Safety Data Sheet	-FMC
Exirel [®] Insecticide	
Version 1.0	
Revision Date 03/01/2018	Ref. 130000133497
	No toxicologically significant effects were found.
	Oral Dog 365 d Liver effects, Gallbladder effects, altered blood chemistry, Vascular arteritis
	Inhalation Rat 28 d No toxicologically significant effects were found.
Carcinogenicity	: Not classifiable as a human carcinogen. Animal testing did not show any carcinogenic effects.
Reproductive toxicity	: No toxicity to reproduction Animal testing showed no reproductive toxicity.
Teratogenicity	: Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

SECTION 12. ECOLOGICAL INFORMATION

	Aquatic Toxicity Exirel [™] Insecticide 48 h EC50	:	Daphnia magna (Water flea) 0.232 mg/l
C	Cyantraniliprole 96 h LC50	:	Oncorhynchus mykiss (rainbow trout) > 12.6 mg/l
	96 h LC50	:	Lepomis macrochirus (Bluegill sunfish) > 13 mg/l
	72 h ErC50	:	Pseudokirchneriella subcapitata (green algae) > 13 mg/l
	7 d ErC50	:	Lemna gibba (duckweed) > 12.1 mg/l
	Additional ecological information	:	Environmental Hazards: Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Toxic to bees. Do not apply this product if bees are visiting the treatment area. See product label for additional application instructions relating to environmental precautions.
			6 / 8

	cticide	
ersion 1.0		
evision Date 03	/01/2018	Ref. 130000133497
Additional ed	cological information : This	product is toxic to non-target plants.
ECTION 13. DI	SPOSAL CONSIDERATIONS	
Waste Dispos		minate water, food or feed by disposal. Wastes resulting from the roduct must be disposed of on site or at an approved waste lity.
Container dis	Refer to the Do not trans	efilling and Disposal: product label for instructions. port if this container is damaged or leaking. of a major spill, fire or other emergency, call 1-800-441-3637 day
ECTION 14. TR IATA_C	ANSPORT INFORMATION UN number	: 3082
	Proper shipping name Class	 Environmentally hazardous substance, liquid, n.o.s. (Cyantraniliprole) 9
	Packing group Labelling No. UN number Proper shipping name	 III 9MI 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)
IMDG		
IMDG	Class Packing group Labelling No.	: 9 : III : 9
IMDG	Packing group	: 111
Not regulate	Packing group Labelling No.	: III : 9 : yes (Cyantraniliprole)

Exirel[®] Insecticide

Version 1.0	
Revision Date 03/01/2018	Ref. 130000133497
PCP Registration # Remarks	: 30895 : Regulated under the Pest Control Products Act - WHMIS exempt.
SECTION 16. OTHER INFORM	ATION
MSDS preparation date	: 03/01/2018
[®] Registered trademark of F	MC Corporation
Contact person	 FMC Corporation 2929 Walnut Street Philadelphia, PA 19104 (215) 299-6000 (General Information) msdsinfo@fmc.com (E-Mail General Information)
statements) are accurate WARRANTY OF MERCH CONCERNING THE INF specified product design materials or in any proce a violation of Federal law and methods of use are liability as to any results	es that the information and recommendations contained herein (including data and e as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, HANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CORMATION PROVIDED HEREIN. The information provided herein relates only to the ated and may not be applicable where such product is used in combination with any other ess. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a to use this product in a manner inconsistent with its labeling. Further, since the conditions beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all obtained or arising from any use of the products or reliance on such information.
Significant change from pre	vious version is denoted with a double bar.

-FMC