

SAFETY DATA SHEET

1. Identification

Product identifier SuffOil-X

Other means of identification

PMRA registration number 33099

Recommended use Agricultural/ Horticultural Use-

Spray Oil Insecticide and Miticide- Refer to product label.

Recommended restrictions Refer to product label. **Manufacturer/Importer/Supplier/Distributor information**

Manufacturer

Company name BioWorks, Inc.

Address 100 Rawson Rd., Ste. 205

Victor, NY 14564

United States

Telephone Corporate Office 1 (585) 924-4362

Website www.bioworksinc.com
E-mail experts@bioworksinc.com
Contact person Regulatory Department
Emergency phone number CHEMTREC (24 hours):

USA, Canada, Puerto Rico 1 (800) 424-9300 Virgin Islands 1 (800) 424-9300 International Maritime +1 (703) 527-3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, inhalation Category 4

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Signal word Warning

Hazard statement Harmful if inhaled.

Precautionary statement

Prevention Avoid breathing vapors. Use only outdoors or in a well-ventilated

area.

Response If inhaled: Remove person to fresh air and keep comfortable for

breathing. Call a poison center/doctor if you feel unwell.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local

authority requirements.

Hazard(s) not otherwise

classified (HNOC) None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

100 Rawson Rd., Ste. 205, Victor, NY 14564 phone: (800) 877-9443 web: bioworksinc.com ©2018 BioWorks, Inc. | SuffOilX_CanadaSDS_062018 | 1

Chemical name	Common name and synonyms	CAS number	%
Mineral Oil		64742-55-8	80 - < 90*
Poly(ethylene oxide)		25322-68-3	< 0.1*
Other components below reportable levels			10 - < 20

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Oxygen or artificial respiration if needed. Call a POISON CENTER or

doctor/physician if you feel unwell.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and

persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

IngestionRinse mouth. Get medical attention if symptoms occur.Most importantDirect contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed General information Provide general supportive measures and treat symptomatically. Keep victim

warm. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Special protective equipmentSelf-contained breathing apparatus and full protective clothing must be worn in

case of fire.

and precautions for firefighters

Fire-fighting equipment/instructions

Specific methods

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved

materials.

of the SDS.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touchdamaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of vapors and spray mists. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

100 Dayson Dd. Sto. 20E. Victor NV 14E64

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Avoid inhalation of vapors and spray mists. Avoid prolonged exposure. Use

only outdoors or in a well-ventilated area. Wear appropriate personal protective

equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Keep container tightly closed. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Mineral Oil	PEL	5 mg/m3	Mist.
(CAS 64742-55-8)			
US. ACGIH Threshold Limit Values			
Components	Type	Value	Form
Mineral Oil	TWA	5 mg/m3	Inhalable fraction.
(CAS 64742-55-8)			
US. NIOSH: Pocket Guide to Chemical Hazards	S		
Components	Туре	Value	Form
Mineral Oil	STEL	10 mg/m3	Mist.
(CAS 64742-55-8)			
	TWA	5 mg/m3	Mist.
US. AIHA Workplace Environmental Exposure			
Level (WEEL) Guides Components	Type	Value	From
Poly(ethylene oxide) (CAS 25322-68-3)	TWA	10 mg/m3	Particulate.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protectionChemical respirator with organic vapor cartridge and full facepiece. **Thermal hazards**Wear appropriate thermal protective clothing, when necessary.

100 Rawson Rd., Ste. 205, Victor, NY 14564 phone: (800) 877-9443 web: bioworksinc.com ©2018 BioWorks, Inc. | SuffOilX_CanadaSDS_062018 | 3 General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Viscous.

Physical state Liquid. **Form** Liquid. Color White Ammonia **Odor threshold** Not available. Not available.

Salt-Out / Crystallization Temp Not available. Melting point/freezing point Not available. Initial boiling point and boiling 680 °F (360 °C)

range

Odor

> 212.0 °F (> 100.0 °C) Flash point

Evaporation rate Not available. Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit - upper Not available.

(%)

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Vapor pressure 0.00001 hPa estimated

Vapor density Not available.

Relative density 0.86 g/cm3 (typical)

Solubility(ies)

Solubility (water) Dispersable **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Flammability class Combustible IIIB estimated

Percent volatile 15.27 % estimated pH in aqueous solution 7 - 9 (1% dilution) Pounds per gallon 7.17 lb/gal (typical) VOC (Weight %) 0.01 % estimated

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage

and transport.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible

materials.

Incompatible materials

Hazardous decomposition

Strong oxidizing agents.

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard.

Inhalation Harmful if inhaled.

Skin contact

Eye contact

No adverse effects due to skin contact are expected.

Direct contact with eyes may cause temporary irritation.

Symptoms related to the

Direct contact with eyes may cause temporary irritation.

physical, chemical and toxicological characteristics

Information on toxicological effects

Acute toxicity	Harmful if inhaled	
Duaduat	Omenica	To at Danielta

Components	Species	Test Results
LD50	Rat	>5000 mg/kg
Oral		
LC50	Rat	>2.06 mg/l, 4 hours No mortality
Inhalation		
LD50	Rabbit	23.87.2046 mg/kg estimated
LC50	Rat	>2000 mg/kg
Dermal		
Acute		
SuffOil-X (CAS Mixture)		
Product	Species	Test Results

- F GU UIGUITI OII. F ALAIIIIIU UUAU U4742-33-0	Petroleum (Oil.	Paraffinic ((CAS 64742-55-8
---	-------------	------	--------------	-----------------

Acute		
Dermal		
LD50	Rabbit	>2000 mg/kg
Inhalation		
LC50	Rat	>5.53 mg/l, 4 hours
Oral		
LD50	Rat	>5000 mg/kg

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than

0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or

OSHA.

Reproductive toxicity

Specific target organ toxicity -

single exposure

This product is not expected to cause reproductive or developmental effects.

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful

or damaging effect on the environment.

Product		Species	Test Results
SuffOil-X (CAS Mixture)			
Aquatic			
Acute			
Crustacea	EC50	Daphnia	119.3602 mg/l, 48 hours estimated
Fish	LC50	Fish	119.3602 mg/l, 96 hours estimated
Components		Species	Test Results
Petroleum Oil, Paraffinic (CAS 64742-55-8	3)		
Aquatic			
Acute			
Crustacea	EC50	Daphnia	>100 mg/l, 48 hours
Fish	LC50	Fish	>100 mg/l, 96 hours
Poly(ethylene oxide) (CAS 25322-68-3)			
Aquatic			
Fish	LC50	Atlantic salmon (Salmo salar)	>1000 mg/l, 96 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Not available.

No data available.

Mobility in soil
Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are

expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/

international regulations.

Local disposal regulations Hazardous waste code

Waste from residues / unused

products

Dispose in accordance with all applicable regulations. The waste code should be assigned in discussion between

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of

in a safe manner (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for

recycling or disposal. Since emptied containers may retain product residue,

follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Registration Number:

48813-1-68539

100 Rawson Rd., Ste. 205, Victor, NY 14564 phone: (800) 877-9443 web: bioworksinc.com ©2018 BioWorks, Inc. | SuffOilX_CanadaSDS_062018 | 7 Hazard statement CAUTION

Harmful if absorbed through skin.

Avoid contact with eyes, skin, or clothing.

Prolonged or frequently repeated skin contact may cause allergic reactions in

some individuals.

US state regulations

US. Massachusetts RTK - Substance List

Mineral Oil (CAS 64742-55-8)

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Mineral Oil (CAS 64742-55-8)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Phillippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

 Issue date
 05-10-2013

 Revision date
 05-07-2018

Version # 26

Disclaimer The information provided in this Safety Data Sheet is correct to the best of

Manufacturer's knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of the Product to determine suitability of the Product for user's

particular use.

Revision Information Product and Company Identification: Product Registration Numbers

Physical & Chemical Properties: Multiple Properties

Toxicological Information: Toxicological Data

100 Rawson Rd., Ste. 205, Victor, NY 14564