

SAFETY DATA SHEET



Carbine® 50WG Insecticide

Version 1.0 Revision Date: 01/24/2023 SDS Number: 50000500 Date of last issue: -
Date of first issue: 01/24/2023

SECTION 1. IDENTIFICATION

Product identifier

Product name Carbine® 50WG Insecticide

Other means of identification

Product code 50000500

Recommended use of the chemical and restrictions on use

Recommended use Can be used as insecticide only.

Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722),
Web: <https://ag.fmc.com/ca/en>
SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)


Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Eye irritation : Category 2A

GHS label elements

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.

SAFETY DATA SHEET



Carbine® 50WG Insecticide

Version 1.0 Revision Date: 01/24/2023 SDS Number: 50000500 Date of last issue: -
Date of first issue: 01/24/2023

Precautionary Statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear eye protection/ face protection.

Response:
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
flonicamid (ISO)	flonicamid (ISO)	158062-67-0	$\geq 30 - < 60$ *
Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt	Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt	81065-51-2	$\geq 5 - < 10$ *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use.

In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.

SAFETY DATA SHEET



Carbine® 50WG Insecticide

Version 1.0 Revision Date: 01/24/2023 SDS Number: 50000500 Date of last issue: -
Date of first issue: 01/24/2023

- Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- Notes to physician : Treat symptomatically.
-

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides
Ammonia
Hydrogen chloride
Nitrogen oxides (NO_x)
- Specific extinguishing methods : Use a water spray to cool fully closed containers.
Remove undamaged containers from fire area if it is safe to do so.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.
- Wear self-contained breathing apparatus for firefighting if necessary.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Do not touch or walk through the spilled material.
If it can be safely done, stop the leak.
Use personal protective equipment.
Evacuate personnel to safe areas.
Avoid dust formation.
Avoid breathing dust.
- Environmental precautions : Prevent product from entering drains.
-

SAFETY DATA SHEET



Carbine® 50WG Insecticide

Version 1.0 Revision Date: 01/24/2023 SDS Number: 50000500 Date of last issue: -
Date of first issue: 01/24/2023

Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform
respective authorities.

Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.
Pick up and transfer to properly labeled containers without
creating dust.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust
is formed.

Advice on safe handling : Smoking, eating and drinking should be prohibited in the ap-
plication area.
Dispose of rinse water in accordance with local and national
regulations.
Avoid formation of respirable particles.
For personal protection see section 8.

Avoid formation of respirable particles.
Do not breathe vapors/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the ap-
plication area.
Dispose of rinse water in accordance with local and national
regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated
place.
Containers which are opened must be carefully resealed and
kept upright to prevent leakage.
Electrical installations / working materials must comply with
the technological safety standards.

Further information on stor- : No decomposition if stored and applied as directed.
age stability

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an
approved filter.

Filter type : Particulates type

Hand protection

SAFETY DATA SHEET



Carbine® 50WG Insecticide

Version 1.0 Revision Date: 01/24/2023 SDS Number: 50000500 Date of last issue: -
Date of first issue: 01/24/2023

Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Hygiene measures : General industrial hygiene practice.
Do not breathe dust.
Avoid contact with skin, eyes and clothing.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granules

Color : light brown

Odor : odorless

Odor Threshold : No data available

pH : 8.3 - 8.8 (25 °C)
Concentration: 10 g/l

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

SAFETY DATA SHEET



Carbine® 50WG Insecticide

Version 1.0 Revision Date: 01/24/2023 SDS Number: 50000500 Date of last issue: -
Date of first issue: 01/24/2023

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : 0.5 - 0.7 g/cm³

Solubility(ies)
Water solubility : soluble

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Surface tension : Not applicable

Molecular weight : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.
Dust may form explosive mixture in air.

Conditions to avoid : Avoid extreme temperatures.
Avoid dust formation.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

SAFETY DATA SHEET



Carbine® 50WG Insecticide

Version 1.0 Revision Date: 01/24/2023 SDS Number: 50000500 Date of last issue: -
Date of first issue: 01/24/2023

Product:

- Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The component/mixture is minimally toxic after single ingestion.
- Acute inhalation toxicity : LC50 (Rat): > 5.36 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The component/mixture is minimally toxic after short term inhalation.
- Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The component/mixture is minimally toxic after single contact with skin.

Skin corrosion/irritation

Not classified based on available information.

Product:

- Species : Rabbit
Assessment : Not classified as irritant
Remarks : May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

- Species : Rabbit
Result : Eye irritation
Assessment : Irritating to eyes.
- Remarks : May cause irreversible eye damage.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

- Result : Not a skin sensitizer.
Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

SAFETY DATA SHEET



Carbine® 50WG Insecticide

Version 1.0 Revision Date: 01/24/2023 SDS Number: 50000500 Date of last issue: -
Date of first issue: 01/24/2023

Components:

flonicamid (ISO):

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: Mouse lymphoma assay
Method: OECD Test Guideline 476
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

flonicamid (ISO):

Species : Mouse, male
Application Route : Oral
Exposure time : 78 weeks
NOAEL : 10 mg/kg bw/day
Method : OPPTS 870.4200
Result : positive

Species : Mouse, female
Application Route : Oral
Exposure time : 78 weeks
NOAEL : 11.8 mg/kg bw/day
Method : OPPTS 870.4200
Result : negative

Species : Rat
Application Route : Oral
Exposure time : 104 weeks
Result : positive

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Not classified based on available information.

SAFETY DATA SHEET



Carbine® 50WG Insecticide

Version 1.0 Revision Date: 01/24/2023 SDS Number: 50000500 Date of last issue: -
Date of first issue: 01/24/2023

Components:

flonicamid (ISO):

Effects on fertility : Test Type: Multi-generation study
Species: Rat
General Toxicity Parent: NOAEL: 18 mg/kg bw/day
Fertility: NOAEL: 109 mg/kg bw/day
Symptoms: No effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
General Toxicity Maternal: NOAEL: 7.5 mg/kg bw/day
Embryo-fetal toxicity.: NOAEL: 2.5 mg/kg bw/day
Result: positive
Remarks: Not classified due to data which are conclusive although insufficient for classification.

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Not classified based on available information.

Components:

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Not classified based on available information.

Components:

flonicamid (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

flonicamid (ISO):

Species : Mouse, male
NOAEL : 15.3 mg/kg bw/day
LOAEL : 153.9 mg/kg bw/day
Application Route : Oral

SAFETY DATA SHEET



Carbine® 50WG Insecticide

Version 1.0 Revision Date: 01/24/2023 SDS Number: 50000500 Date of last issue: -
Date of first issue: 01/24/2023

Exposure time : 90 day
Method : OECD Test Guideline 408
Target Organs : Liver
Remarks : Based on available data, the classification criteria are not met.

Species : Rat, male
NOAEL : 60 mg/kg bw/day
LOAEL : 119.4 mg/kg bw/day
Application Route : Oral
Exposure time : 90 day
Method : OPPTS 870.3100
Target Organs : Kidney
Remarks : Based on available data, the classification criteria are not met.

Species : Dog, male and female
NOAEL : 20 mg/kg bw/day
Application Route : Oral
Exposure time : 90 day
Method : OECD Test Guideline 409

Aspiration toxicity

Not classified based on available information.

Components:

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

No aspiration toxicity classification

Neurological effects

Components:

flonicamid (ISO):

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

flonicamid (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Test Type: static test

SAFETY DATA SHEET



Carbine® 50WG Insecticide

Version 1.0 Revision Date: 01/24/2023 SDS Number: 50000500 Date of last issue: -
Date of first issue: 01/24/2023

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 120 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test

Toxicity to algae/aquatic plants : EC50 (algae): > 119 mg/l
End point: Growth inhibition
Exposure time: 96 h

EC50 (Lemna sp.): > 119 mg/l
Exposure time: 7 d
Test Type: static test

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 10 mg/l
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Crustaceans): 3.1 mg/l
Exposure time: 21 d

Toxicity to soil dwelling organisms : LC50 (worms): > 1,000 mg/kg

Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): > 2,000 mg/kg

LC50 (Colinus virginianus (Bobwhite quail)): > 5,000 mg/kg
Remarks: Dietary

LC50 (Anas platyrhynchos (Mallard duck)): > 5,000 mg/kg
Remarks: Dietary

LD50 (Anas platyrhynchos (Mallard duck)): 1,591 - 2,621 mg/kg

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Toxicity to fish : LC50 (Fish): > 100 mg/l

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 34 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 74.4 mg/l
Exposure time: 96 h
Test Type: static test

SAFETY DATA SHEET



Carbine® 50WG Insecticide

Version 1.0 Revision Date: 01/24/2023 SDS Number: 50000500 Date of last issue: -
Date of first issue: 01/24/2023

Toxicity to microorganisms : EC50 (Pseudomonas putida): 133 mg/l
Exposure time: 30 min
Test Type: Respiration inhibition

Persistence and degradability

Components:

flonicamid (ISO):

Biodegradability : Result: Readily biodegradable.

Stability in water : Remarks: resistant to hydrolysis

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Biodegradability : Result: Not biodegradable

Bioaccumulative potential

Components:

flonicamid (ISO):

Partition coefficient: n-octanol/water : log Pow: 0.3

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Mobility in soil

Components:

flonicamid (ISO):

Distribution among environmental compartments : Remarks: Mobile in soils

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.

SAFETY DATA SHEET



Carbine® 50WG Insecticide

Version 1.0 Revision Date: 01/24/2023 SDS Number: 50000500 Date of last issue: -
Date of first issue: 01/24/2023

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

flonicamid (ISO)

Soprophor 4D384

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

SAFETY DATA SHEET



Carbine® 50WG Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/24/2023	50000500	Date of first issue: 01/24/2023

IECSC : Not in compliance with the inventory
NZIoC : Not in compliance with the inventory
TECI : Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fit-

SAFETY DATA SHEET



Carbine® 50WG Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/24/2023	50000500	Date of first issue: 01/24/2023

ness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet