

# **SAFETY DATA SHEET**

#### Identification

**Product identifier Better Choice Brands Paraquat 3SL Herbicide** 

Other means of identification

SDS number 570

**Product registration** 

number

89432-1-104199

Recommended use Herbicide.

Recommended restrictions This is a Restricted Use Pesticide and is for use by licensed applicators only.

No other uses are advised.

Keep out of the Reach of Children!

**EPA Registration number** EPA: 89432-1-104199

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

BETTER CHOICE BRANDS LLC Company name

**Address** 4252 E Log Providence Road

Columbia MO 65201

BETTER CHOICE BRANDS LLC 815-257-2011 Telephone

admin@betterchoicebrands.com Website

E-mail

Medical 888-681-4261 **Emergency phone number** 

**CHEMTREC®** 800-424-9300

(USA+Canada)

Product Use 888-462-6822 CHEMTREC® (Outside USA) +1-703-527-3887

# 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Acute toxicity, oral Category 3

> Acute toxicity, dermal Category 2 Acute toxicity, inhalation Category 1 Skin corrosion/irritation Category 1C Serious eye damage/eye irritation Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Category 1

Specific target organ toxicity, repeated Category 1

exposure

**Environmental hazards** Hazardous to the aquatic environment, acute

hazard

**OSHA** defined hazards Not classified.

Label elements



Signal word Danger

Material name: Better Choice Brands Paraquat 3SL Herbicide 1718 Version #: 2.1 Revision date: Feb-22-2021 Issue date: Aug-23-2017

#### Hazard statement

Toxic if swallowed. Causes damage to organs through prolonged or repeated exposure. Toxic if

swallowed.

Fatal in contact with skin.

Fatal if inhaled.

Causes severe skin burns and eye damage.

Causes serious eye damage. May cause respiratory irritation. Causes damage to organs. Very toxic to aquatic life.

#### **Precautionary statement**

Prevention

Wash thoroughly after handling. Avoid release to the environment. Do not breathe mist or vapor.

Do not get in eyes, on skin, or on clothing.

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Wear respiratory protection.

Response

If swallowed: Immediately call a poison center/doctor. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTER/doctor.

Collect spillage.

Storage

Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced in section 15. The pesticide label also includes other important information, including directions for use.

#### 3. Composition/information on ingredients

## **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Paraquat dichloride	Paraquat-dichloride 1,1'-Dimethyl 4,4'-bipyridinium dichloride	1910-42-5	42.5 - 45.1

# 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison

center or doctor/physician if you feel unwell.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

**Ingestion** Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Have person

sip a glass of water if able to swallow.

Most important

symptoms/effects, acute and

delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Prolonged exposure may cause chronic effects. May cause drowsiness or dizziness. Ingestion

may cause severe burns to mouth, throat or stomach.

Material name: Better Choice Brands Paraquat 3SL Herbicide

SDS US

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed. In case of ingestion consider gastric lavage with protected airway, administration of activated charcoal.

**General information** 

Take off immediately all contaminated clothing. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Discard any shoes or clothing items that cannot be decontaminated.

# 5. Fire-fighting measures

Suitable extinguishing media

Water spray, Foam, Powder, Carbon dioxide (CO2), Foam or dry chemical systems are preferred to prevent environmental damage from excessive water runoff.

Not available.

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special protective equipment and precautions for firefighters

Move containers from fire area if you can do so without risk.

During fire, gases hazardous to health may be formed.

Fire fighting equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted.

Specific methods General fire hazards

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water. Prevent entry into waterways, sewer, basements or confined

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Siphon the spilled liquid into a recovery drum for reuse or disposal, depending on the circumstances.

**Environmental precautions** 

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep away from excessive heat. Do not store or transport below 0°C/32°F.

#### 8. Exposure controls/personal protection

# Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

## US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Paraquat dichloride (CAS 1910-42-5)	PEL	0.5 mg/m3	Respirable dust.

 US. ACGIH Threshold Limit Values
 Type
 Value
 Form

 Paraquat dichloride (CAS
 TWA
 0.5 mg/m3
 Inhalable fraction.

1910-42-5)

US. NIOSH: Pocket Guide to Chemical Hazards
Components Type Value Form

Paraquat dichloride (CAS TWA 0.1 mg/m3 Respirable. 1910-42-5)

Biological limit values No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 

US - California OELs: Skin designation

Paraquat dichloride (CAS 1910-42-5)

Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

Paraquat dichloride (CAS 1910-42-5) Skin designation applies.

US - Tennessee OELs: Skin designation

Paraquat dichloride (CAS 1910-42-5)

Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation** 

Paraquat dichloride (CAS 1910-42-5)

Danger of cutaneous absorption

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Paraquat dichloride (CAS 1910-42-5)

Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Paraquat dichloride (CAS 1910-42-5)

Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield. If there is a potential for

splashing Goggles or a full face shield should be used.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Viton gloves are recommended.

Other Wear suitable protective clothing. Long-sleeved shirt and long pants or coveralls, socks and

chemical resistant closed toe shoes are required. If there is a possibility of splashing or spillage, a

chemical resistant apron or chemical resistant coverall should also be worn.

**Respiratory protection** If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Liquid.
Color Dark green.
Odor Strong. Pungent.
Odor threshold Not available.
pH 3.5 - 4

Melting point/freezing point Not available.

Initial boiling point and boiling

Not available.

range

Flash point  $> 212 \,^{\circ}\text{F} \, (> 100 \,^{\circ}\text{C})$ 

Not available. **Evaporation rate** Not applicable. Flammability (solid, gas)

Upper/lower flammability or explosive limits

(%)

Flammability limit - upper

Explosive limit - lower (%)

Flammability limit - lower

(%)

Not available.

Not available.

Not available.

Explosive limit - upper (%) Not available. Vapor pressure Not available.

Vapor density Not available. 1.135 g/cm3 Relative density

Solubility(ies)

Miscible Solubility (water)

> 1157 °F (> 625 °C) **Auto-ignition temperature** 

**Decomposition temperature** Not available. **Viscosity** Not available.

Other information

9.47 lb/gal **Bulk density** 

Dynamic viscosity 2.44 centistokes, @ 40°C

3.65 centistokes, @ 20°C

**Explosive properties** Not explosive. Not oxidizing. Oxidizing properties

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials. Avoid temperatures below 0°C/32°F.

Aluminum. 10% permanganate solutions and iron powder. Incompatible materials

products

**Hazardous decomposition** No hazardous decomposition products are known. Emits hazardous fumes and smoke of unknown composition when heated to decomposition or burned.

#### 11. Toxicological information

## Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Fatal in contact with skin. Causes severe skin burns.

Eye contact Causes serious eye damage.

Toxic if swallowed. Causes digestive tract burns. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation.

#### Information on toxicological effects

Acute toxicity Fatal in contact with skin. Toxic if swallowed. Fatal if inhaled. Causes serious eye damage.

Causes severe burns. May cause respiratory irritation.

Components **Species Test Results** 

Paraquat dichloride (CAS 1910-42-5)

Acute Dermal

LD50 Rabbit 325 mg/kg

Rat 80 mg/kg Components Species Test Results

Oral

LD50 Rat 57 mg/kg

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** Not a skin sensitizer.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effects Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be

harmful.

# 12. Ecological information

**Ecotoxicity** 

Very toxic to aquatic life. This product is toxic to wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Better Choice Brands Paraquat 3SL is a contact herbicide that desiccates all green plant tissue. Paraquat dichloride, the active ingredient in this product, is toxic to nontarget crops and plants if off-target movement occurs because it desiccates all green plant tissue. Extreme care must be taken to ensure that off-target drift is minimized to the greatest extent possible. Refer to the local and state laws, regulations, guidelines, and spray drift information contained in the "Directions for Use" section of the product labeling for proper application to avoid off-target movement. Do not apply under conditions involving possible drift to food, forage, or other plantings that might be damaged or the crops thereof rendered unfit for sale, use, or consumption. Do not apply when weather conditions favor drift from treated areas. To avoid drift, do not make aerial applications during periods of thermal inversion.

Components		Species	Test Results	
Paraquat dichloride (C	CAS 1910-42-5)			
Aquatic				
Algae	EC50	Green algae (Selenastrum capricornutum)	0.32 mg/l, 72 hours	
Crustacea	EC50	Water flea (Daphnia magna)	9.1 - 12.2 mg/l, 48 hours	
Fish	LC50	Bluegill (Lepomis macrochirus)	11 - 19 mg/l, 96 hours	

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Paraquat dichloride -4.5

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the

material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous

Waste representative at the nearest EPA regional office for guidance.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

UN2922 **UN number** 

UN proper shipping name Transport hazard class(es) Corrosive liquids, toxic, n.o.s. (Paraquat dichloride)

8 Class 6.1 Subsidiary risk Label(s) 8.6.1

**Packing group** Ш

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IB3, T7, TP1, TP28 Special provisions

154 Packaging exceptions Packaging non bulk 203 Packaging bulk 241

IATA

UN2922 **UN** number

**UN** proper shipping name Transport hazard class(es) Corrosive liquids, toxic, n.o.s. (Paraquat dichloride)

8 Class 6.1 Subsidiary risk Label(s) 8.6.1

Packing group Ш

Yes, when transported over large bodies of water **Environmental hazards** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Read safety instructions, SDS and emergency procedures before handling.

**IMDG** 

**UN number** 

Corrosive liquids, toxic, n.o.s. (Paraquat dichloride), MARINE POLLUTANT **UN proper shipping name** 

Transport hazard class(es)

8 **Class** Subsidiary risk 6.1 8, 6.1 Label(s) Ш Packing group

**Environmental hazards** 

Marine pollutant yes


Not available. **FmS** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Not established.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

# DOT



**General information** 

IMDG Regulated Marine Pollutant.

## 15. Regulatory information

#### **US federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This product is registered under EPA/FIFRA Regulations as a RESTRICTED USE PESTICIDE. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

#### HAZARD TO HUMANS AND DOMESTIC ANIMALS.

#### **DANGER -- POISON**

May be fatal if swallowed. Fatal if inhaled. Do not breathe spray mist. Wear a dust/mist respirator as specified in the PPE section of this label. Causes irreversible eye damage. Wear protective eyewear. Harmful if absorbed through skin. Do not get in eyes or on clothing. Avoid contact with the skin. IMPORTANT: Inhalation is an unlikely route of exposure due to low vapor pressure and large spray droplet size, but mucosal irritation or nose bleeds may occur. Prolonged contact with this concentrated product can irritate your skin.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater.

#### PHYSICAL AND CHEMICAL HAZARDS

This product is mildly corrosive to aluminum and produces hydrogen gas which may form a highly combustible gas mixture. Do not mix or store in containers, spray tanks, nurse tanks, or such systems made of aluminum or having aluminum fittings. This product is compatible with high-density polyethylene and rubber-lined steel containers.

#### **Toxic Substances Control Act (TSCA)**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

## **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

## SARA 304 Emergency release notification

Paraquat dichloride (CAS 1910-42-5)

10 LBS

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)	
Paraguat dichloride	1910-42-5	10		10	10000	

SARA 311/312 Hazardous

Yes

chemical

I

Classified hazard categories

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Paraquat dichloride	1910-42-5	42.5 - 45.1	

#### Other federal regulations

## Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

#### **US state regulations**

#### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### **International Inventories**

Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

- , NI-

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date Aug-23-2017
Revision date Feb-22-2021

References ACGIH®: American Conference of Governmental Industrial Hygienists

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

EPA: Environmental Protection Agency

FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Agency

SARA: Superfund Amendments and Reauthorization Act

TSCA: Toxic Substances Control Act DOT: Department of Transportation

IMDG: International Maritime Dangerous Goods IATA: International Air Transport Association

Version # 2.1

HMIS® ratings Health: 4\*

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 4

Flammability: 0 Instability: 0

**Disclaimer** This information is provided for the limited guidance to the user. While BETTER CHOICE

BRANDS LLC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

BETTER CHOICE BRANDS LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

BETTER CHOICE BRANDS LLC. All Rights Reserved. BETTER CHOICE BRANDS LLC and the BETTER CHOICE BRANDS LLC Logo are trademarks owned by BETTER CHOICE BRANDS

LLC.

ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists.

CHEMTREC is a trademark of the American Chemistry Council, Inc. HMIS is a trademark of the American Coatings Association.

NFPA is a trademark of the National Fire Protection Association, Inc.

Hazard(s) identification: Hazard statement

**Revision information** First-aid measures: Ingestion

Ecological information: Ecotoxicity

Other information, including date of preparation or last revision: Disclaimer

Material name: Better Choice Brands Paraquat 3SL Herbicide

SDS US