

FIFRA 24(c) Special Local Need Label



Dow AgroSciences

Treflan[®] TR-10[®]

EPA Reg. No. 62719-131

SLN WA-900016

For Distribution and Use Only Within the State of Washington

Dodder Control in Established Alfalfa Grown for Seed

Expiration date: This label expires and must not be distributed or used in accordance with this SLN registration after December 31, 2017.

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Treflan[®] TR-10[®] granular herbicide before applying. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.
- Use of Treflan TR-10 according to this FIFRA 24(c) Special Local Need label is subject to all use precautions and limitations imposed by the label affixed to the container for Treflan TR-10.

Directions for Use

Refer to product label for General Information, General Use Precautions, and Rotation Crop Restrictions.

Treflan TR-10 is registered for general weed control in established alfalfa at up to 20 lb per acre. Under this SLN registration, Treflan TR-10 may be surface applied in established alfalfa grown for seed only at 30 to 40 lb per acre. When Treflan TR-10 is applied at more than 20 lb per acre, no portion of the treated field, including seed, seed screenings, hay, forage or stubble, may be used for human or animal food or feed.

Apply Treflan TR-10 at a broadcast rate of 30 to 40 lb per acre in late winter or spring. Application and activation must occur before dodder germination. For best results, activate Treflan TR-10 within 3 days after application by rainfall, overhead sprinkler irrigation, flood irrigation or furrow irrigation. If activated using furrow irrigation, thoroughly wet the surface of beds between furrows.

Specific Use Restrictions:

- All alfalfa seed screenings shall be disposed of in such a way that they cannot be distributed or used for food or feed. The seed conditioner shall keep records of screening disposal for three years from the date of disposal and shall furnish the records to the WSDA forthwith upon request. Disposal records shall consist of documentation from a controlled dump site, incinerator, or other equivalent disposal site and shall show the lot numbers, amount of material disposed of, its grower(s), and the date of disposal.
- No portion of the alfalfa seed plant, including but not limited to green chop, hay, pellets, meal, whole seed, cracked seed, roots, bulbs, leaves and seed screenings may be used or distributed for food or feed purposes.

- Alfalfa seed shall bear a tag or container label that forbids use of the seed for human consumption or animal feed.
- Alfalfa seed may not be distributed for human consumption or animal feed.
- Do not apply to seedling alfalfa (up to 6 true leaf stage).
- Where alfalfa is to be rotated to another crop in the season following application of Treflan TR-10, plant only those crops to which Treflan TR-10 may be applied as a preplant incorporated treatment or crop injury may occur. Read and carefully follow all rotational crop restrictions on the label for Treflan TR-10. The potential for rotational crop injury may be reduced by moldboard plowing to a depth of 12 inches prior to planting.
- **Chemigation:** For use under this SLN label, do not apply this product through any type of irrigation system.
- The maximum application rate is 40 lb per acre.
- Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.
- **Preharvest Interval:** Do not apply within 21 days before harvest.
- Make one application in late winter or spring.
- This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Treflan TR-10 should not be used under this SLN label where impact on listed threatened or endangered species is likely. You may refer to the WSDA Endangered Species Program web site at <http://agr.wa.gov/PestFert/NatResources/EndangSpecies.aspx>, or contact the Washington Department of Fish & Wildlife, National Marine Fisheries Service (NOAA Fisheries) or US Fish & Wildlife Service for information regarding aquatic species listed as threatened or endangered. Consult the federal label for additional restrictions and precautions to protect aquatic organisms.
- Certain uses of trifluralin may be restricted by a U.S. District Court final order. You may refer to the WSDA Endangered Species Program web site at <http://agr.wa.gov/PestFert/natresources/Buffers.aspx> for information regarding pesticides that are impacted by the final order.

WSDA Container Disposal Guidance: Pesticide containers must be properly cleaned prior to disposal. The best time to clean empty pesticide containers is during mixing and loading, because residue can be difficult to remove after it dries. Triple rinse (or pressure rinse) the pesticide container, empty all pesticide rinse water into the spray tank, and apply to a labeled crop or site. Recycling cleaned containers is the best method of container disposal. Information regarding the recycling of empty and cleaned plastic pesticide containers in Washington is available on the WSDA Waste Pesticide Program web site at <http://agr.wa.gov/PestFert/Pesticides/WastePesticide.aspx>. Cleaned containers may also be disposed of in a sanitary landfill, if permitted by the county. Burning is not a legal method of container disposal in Washington.

24c Registrant:

**Dow AgroSciences LLC
9330 Zionsville Road
Indianapolis, IN 46268-1054 USA**

®Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

R048-009
Accepted: 01/10/13
Replaces: R048-002