

RESTRICTED USE PESTICIDE

Due to toxicity to fish and aquatic organisms

For retail sale to and use only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification.



FIFRA 2(ee)

Recommendation

EPA Reg. No. 279-3108

**FOR DISTRIBUTION AND USE
ONLY IN CALIFORNIA**

**THIS RECOMMENDATION, WHICH CONTAINS
ADDITIONAL DIRECTIONS FOR USE, IS MADE
AS PERMITTED UNDER FIFRA SECTION 2(ee)
AND HAS NOT BEEN SUBMITTED TO OR
APPROVED BY THE EPA.**

This recommendation for BRIGADE WSB Insecticide/Miticide is valid until 03/16/2025, or until withdrawn, cancelled or suspended.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED.

THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

For Agricultural or Commercial Use Only

CROP	PEST	RATE OF APPLICATION
Citrus	Fuller Rose Beetle <i>Asynonychus godmani</i>	2.5 – 5.0 lb product/A (0.25 – 0.5 lb ai/A)

DIRECTIONS FOR USE: A single or split application as a soil or trunk treatment may be made depending on pest emergence.

Soil Treatment: Make a uniform application to the soil beneath trees from the trunk to the drip line in a minimum of 40 gallons finished spray solution per acre. See product label for full soil application details.

Trunk Treatment: Apply to the lower trunk as a directed spray. Uniform coverage of the trunk is critical for pest control. Spray the trunks of 10 trees with water to determine the amount of spray that is needed for thorough coverage of the trunk, without runoff, from the soil line to approximately 18 inches up the trunk. Measure the amount of water needed to refill the spray tank to its initial level. Then calculate the amount of spray needed per acre, e.g. if it took 0.5 gallons to spray 10 trees and there are 180 trees per acre then you will need

$0.5 \times (180/10) = 9$ gal/A of spray mix. Based on the number of acres to be sprayed, put that amount of water per acre in the tank along with the appropriate amount of BRIGADE WSB Insecticide/Miticide (5 lb/A for a single application or 2.5 lb/A for a split application)



FMC Corporation
2929 Walnut St.
Philadelphia, PA 19104
215-299-6000

RESTRICTED USE PESTICIDE

Due to toxicity to fish and aquatic organisms

For retail sale to and use only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification.

Single Application: A single application of 5.0 lb product/A (0.5 lb ai/A) may be made before pest emergence.

Split Application: A split application using one application of 2.5 lb product/A (0.25 lb ai/A) followed later by a second application of 2.5 lb product/A (0.25 lb ai/A) may be made. Applications should be made prior to peak pest emergence.

RESTRICTIONS:

- Do not apply through irrigation systems.
- Do not allow BRIGADE WSB Insecticide/Miticide to contact fruit or foliage. Contact with fruit may result in illegal residues.
- Do not apply more than 5.0 pounds product (0.5 lb ai) per acre per year.
- Do not apply within 1 day of harvest.
- Do not apply by air.



FMC Corporation
2929 Walnut St.
Philadelphia, PA 19104
215-299-6000